

Treston QuatreX electrical workbench

Treston QuatreX electrical workbench is specifically designed to offer supreme stability, flexibility, and precision. With modern and ergonomic design combined with the high-speed electrical height adjustment this workbench is the ultimate choice for professionals who demand excellence in their work environments. Treston QuatreX meets the needs of various industries and segments, including luxury goods manufacturing, electronics manufacturing, fine mechanics, logistics, light assembly, maintenance, and R&D labs.

- Extreme stability and less vibration.
- Flexibility and versatility - choose perforated or aluminum uprights.
- Four powerful motors offer the fastest adjusting speed - from down to up in less than 14 seconds.
- Adjustment range 710-1210 mm.
- Total max loading capacity 300kg. 150 kg for the uprights.
- ESD compatibility available.
- World's largest selection of modular accessories for customization.

Treston QuatreX is using the same bench tops as Concept workbench.

See the selection here

Treston QuatreX electrical workbench (11)

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material
QX-ESD	ESD Grounding set for Treston QuatreX	6416763098330							0	Yes			0		10	0	
QX10375-41	Treston QuatreX four-leg electric bench frame 1025x750	6416763098255	1025	750	710 - 1210	Motor adjustable	36		300	No		Light grey	46		10	47	Epoxy powder-coated steel
QX10390-41	Treston QuatreX four-leg electric bench frame 1025x900	6416763098293	1025	900	710 - 1210	Motor adjustable	36		300	No		Light grey	48		10	49	Epoxy powder-coated steel
QX12375-41	Treston QuatreX four-leg electric bench frame 1225x750	6416763098262	1225	750	710 - 1210	Motor adjustable	36		300	No		Light grey	48		10	49	Epoxy powder-coated steel
QX12390-41	Treston QuatreX four-leg electric bench frame 1225x900	6416763098309	1225	900	710 - 1210	Motor adjustable	36		300	No		Light grey	49		10	51	Epoxy powder-coated steel
QX15375-41	Treston QuatreX four-leg electric bench frame 1525x750	6416763098279	1525	750	710 - 1210	Motor adjustable	36		300	No		Light grey	50		10	52	Epoxy powder-coated steel

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed(mm/second)	Adjustment control panel	Max load (kg)	ESD	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material
QX15390-41	Treston QuatreX four-leg electric bench frame 1525x900	6416763098316	1525	900	710 - 1210	Motor adjustable	36		300	No		Light grey	52		10	54	Epoxy powder-coated steel
QX18375-41	Treston QuatreX four-leg electric bench frame 1825x750	6416763098286	1825	750	710 - 1210					No		Light grey	55		10	57	
QX18390-41	Treston QuatreX four-leg electric bench frame 1825x900	6416763098323	1825	900	710 - 1210	Motor adjustable	36		300	No		Light grey	55		10	57	Epoxy powder-coated steel
QX20375-41	Treston QuatreX electric adjustable frame 2025x750	6416763099658	2025	750	710 - 1210	Motor adjustable	36		300	No	RAL7035	Light grey	58		10	60	Epoxy powder-coated steel
QX20390-41	Treston QuatreX four-leg electric frame 2025x900	6416763099665	2025	900	710 - 1210	Motor adjustable	36		300	No	RAL7035	Light grey	59		10	61	Epoxy powder-coated steel