Bench tops

Bench tops (75)

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Available for the following products	Bench top material
TT10060-ESD	Bench top ESD 1000x600 semi-conductive laminate	6416763068777	1000	600	25	Yes	Light grey	11		2	11		Semi-conductive laminated chipboard
TT10060-HPL	Bench top HPL 1000x600 high pressure laminate	6416763073849	1000	600	25	No	Light grey	9		2	9		High pressure laminated chipboard
TT10060-LPL	Bench top LPL 1000x600 low pressure laminate	6416763085583	1000	600	25	No	Light grey	13		2	13		Low pressure laminated chipboard
TT10075-ESD	Bench top ESD 1000x750 semi-conductive laminate	6416763068784	1000	750	25	Yes	Light grey	14		2	14		Semi-conductive laminated chipboard
TT10075-HPL	Bench top HPL 1000x750 high pressure laminate	6416763073856	1000	750	25	No	Light grey	13		2	14		High pressure laminated chipboard
TT10075-LPL	Bench top LPL 1000x750 low pressure laminate	6416763074150	1000	750	25	No	Light grey	14		2	15		Low pressure laminated chipboard
TT10090-ESD	Bench top ESD 1000x900 semi-conductive laminate	6416763068791	1000	900	25	Yes	Light grey	16		2	16		Semi-conductive laminated chipboard
TT10090-HPL	Bench top HPL 1000x900 high pressure laminate	6416763073863	1000	900	25	No	Light grey	15		2	16		High pressure laminated chipboard
TT10090-LPL	Bench top LPL1000x900 low pressure laminate	6416763074167	1000	900	25	No	Light grey	15		2	15		Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT10375-ESD	Bench top ESD 1030x750 semi-conductive laminate	6416763098927	1030	750	25	Yes	Light grey	14		2	14	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT10375-HPL	Bench top HPL 1030x750 high pressure laminate	6416763098934	1030	750	25	No	Light grey	13		2	14	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT10375-LPL	Bench top LPL 1030x750 low pressure laminate	6416763098941	1030	750	25	No	Light grey	14		2	14	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT10390-ESD	Bench top ESD 1030x900 semi-conductive laminate	6416763098958	1030	900	25	Yes	Light grey	16		2	16	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT10390-HPL	Bench top HPL 1030x900 high pressure laminate	6416763098965	1030	900	25	No	Light grey	15		2	16	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT10390-LPL	Bench top LPL 1030x900 low pressure laminate	6416763098972	1030	900	25	No	Light grey	14		2	15		Low pressure laminated chipboard
TT12060-ESD	Bench top ESD 1200x600 semi-conductive laminate	6416763068807	1200	600	25	Yes	Light grey	13		2	13		Semi-conductive laminated chipboard
TT12060-HPL	Bench top HPL 1200x600 high pressure laminate	6416763073870	1200	600	25	No	Light grey	12		2	13		High pressure laminated chipboard
TT12060-LPL	Bench top LPL 1200x600 low pressure laminate	6416763074174	1200	600	25	No	Light grey	13		2	13		Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT12075-ESD	Bench top ESD 1200x750 semi-conductive laminate	6416763068814	1200	750	25	Yes	Light grey	17		2	17		Semi-conductive laminated chipboard
TT12075-HPL	Bench top HPL 1200x750 high pressure laminate	6416763073887	1200	750	25	No	Light grey	16		2	16		High pressure laminated chipboard
TT12075-LPL	Bench top LPL 1200x750 low pressure laminate	6416763074181	1200	750	25	No	Light grey	17		2	17		Low pressure laminated chipboard
TT12090-ESD	Bench top ESD1200x900 semi-conductive laminate	6416763068821	1200	900	25	Yes	Light grey	19		2	20		Semi-conductive laminated chipboard
TT12090-HPL	Bench top HPL 1200x900 high pressure laminate	6416763073894	1200	900	25	No	Light grey	19		2	19		High pressure laminated chipboard
TT12090-LPL	Bench top LPL 1200x900 low pressure laminate	6416763074198	1200	900	25	No	Light grey	18		2	18		Low pressure laminated chipboard
TT12375-ESD	Bench top ESD 1230x750 semi-conductive laminate	6416763093014	1230	750	25	Yes	Light grey	17		2	17	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT12375-HPL	Bench top HPL 1230x750 high pressure laminate	6416763093021	1230	750	25	No	Light grey	16		2	16	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT12375-LPL	Bench top LPL 1230x750 low pressure laminate	6416763093038	1230	750	25	No	Light grey	17		2	17	Treston QuatreX electrical workbench	Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT12390-ESD	Bench top ESD 1230x900 semi-conductive laminate	6416763093045	1230	900	25	Yes	Light grey	19		2	20	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT12390-HPL	Bench top HPL 1230x900 high pressure laminate	6416763093052	1230	900	25	No	Light grey	19		2	19	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT12390-LPL	Bench top LPL 1230x900 low pressure laminate	6416763093069	1230	900	25	No	Light grey	18		2	18	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT15060-ESD	Bench top ESD 1500x600 semi-conductive laminate	6416763068838	1500	600	25	Yes	Light grey	16		2	17		Semi-conductive laminated chipboard
TT15060-HPL	Bench top HPL 1500x600 high pressure laminate	6416763073900	1500	600	25	No	Light grey	16		2	16		High pressure laminated chipboard
TT15060-LPL	Bench top LPL 1500x600 low pressure laminate	6416763074204	1500	600	25	No	Light grey	16		2	16		Low pressure laminated chipboard
TT15075-ESD	Bench top ESD 1500x750 semi-conductive laminate	6416763068845	1500	750	25	Yes	Light grey	21		2	21		Semi-conductive laminated chipboard
TT15075-HPL	Bench top HPL 1500x750 high pressure laminate	6416763073917	1500	750	25	No	Light grey	20		2	21		High pressure laminated chipboard
TT15075-LPL	Bench top LPL 1500x750 low pressure laminate	6416763074211	1500	750	25	No	Light grey	22		2	22		Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT15090-ESD	Bench top ESD 15090x900 semi-conductive laminate	6416763068852	1500	900	25	Yes	Light grey	25		2	26		Semi-conductive laminated chipboard
TT15090-HPL	Bench top HPL 1500x900 high pressure laminate	6416763073924	1500	900	25	No	Light grey	25		2	26		High pressure laminated chipboard
TT15090-LPL	Bench top LPL 1500x900 low pressure laminate	6416763074228	1500	900	25	No	Light grey	25		2	26		Low pressure laminated chipboard
TT15375-ESD	Bench top ESD 1530x750 semi-conductive laminate	6416763093076	1530	750	25	Yes	Light grey	21		2	21	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT15375-HPL	Bench top HPL 1530x750 high pressure laminate	6416763093083	1530	750	25	No	Light grey	20		2	21	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT15375-LPL	Bench top LPL 1530x750 low pressure laminate	6416763093090	1530	750	25	No	Light grey	22		2	22	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT15390-ESD	Bench top ESD 1530x900 semi-conductive laminate	6416763093106	1530		25	Yes	Light grey	25		2	26	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT15390-HPL	Bench top HPL 1530x900 high pressure laminate	6416763094073	1530	900	25	No	Light grey	21		2	26	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT15390-LPL	Bench top LPL 1530x900 low pressure laminate	6416763093113	1530	900	25	No	Light grey	21		2	26	Treston QuatreX electrical workbench	Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT18060-ESD	Bench top ESD 1806x600 semi-conductive laminate	6416763068869	1806	600	25	Yes	Light grey	20		2	21		Semi-conductive laminated chipboard
TT18060-HPL	Bench top HPL1806x600 high pressure laminate	6416763073931	1806	600	25	No	Light grey	19		2	19		High pressure laminated chipboard
TT18060-LPL	Bench top LPL1806x600 low pressure laminate	6416763074235	1806	600	25	No	Light grey	24		2	24		Low pressure laminated chipboard
TT18075-ESD	Bench top ESD 1806x750 semi-conductive laminate	6416763068876	1806	750	25	Yes	Light grey	25		2	26		Semi-conductive laminated chipboard
TT18075-HPL	Bench top HPL 1806x750 high pressure laminate	6416763073948	1806	750	25	No	Light grey	24		2	25		High pressure laminated chipboard
TT18075-LPL	Bench top LPL 1806x750 low pressure laminate	6416763074242	1806	750	25	No	Light grey	25		2	26		Low pressure laminated chipboard
TT18090-ESD	Bench top ESD 1806x900 semi-conductive laminate	6416763068883	1806	900	25	Yes	Light grey	30		2	31		Semi-conductive laminated chipboard
TT18090-HPL	Bench top HPL 1806x900 high pressure laminate	6416763073955	1806	900	25	No	Light grey	27		2	28		High pressure laminated chipboard
TT18090-LPL	Bench top LPL 1806x900 low pressure laminate	6416763074259	1806	900	25	No	Light grey	30		2	31		Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT18375-ESD	Bench top ESD 1836x750 semi-conductive laminate	6416763093120	1836	750	25	Yes	Light grey	25		2	26	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT18375-HPL	Bench top HPL 1836x750 high pressure laminate	6416763093137	1836	750	25	No	Light grey	24		2	25	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT18375-LPL	Bench top LPL 1836x750 low pressure laminate	6416763093144	1836	750		No	Light grey	24		2	25	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT18390-ESD	Bench top ESD 1836x900 semi-conductive laminate	6416763094097	1836	900	25	Yes	Light grey	25		2	26	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT18390-HPL	Bench top HPL 1836x900 high pressure laminate	6416763094080	1836	900	25	No	Light grey	25		2	26	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT18390-LPL	Bench top LPL 1836x900 low pressure laminate	6416763093151	1836	900	25	No	Light grey	25		2	26	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT20060-ESD	Bench top ESD 2000x600 semi-conductive laminate	6416763068890	2000	600	25	Yes	Light grey	23		2	23		Semi-conductive laminated chipboard
TT20060-HPL	Bench top HPL 2000x600 high pressure laminate	6416763073962	2000	600	25	No	Light grey	22		2	22		High pressure laminated chipboard
TT20060-LPL	Bench top LPL 2000x600 low pressure laminate	6416763074266	2000	600	25	No	Light grey	19		2	19		Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT20075-ESD	Bench top ESD 2000x750 semi-conductive laminate	6416763068906	2000	750	25	Yes	Light grey	28		2	29		Semi-conductive laminated chipboard
TT20075-HPL	Bench top HPL 2000x750 high pressure laminate	6416763073979	2000	750	25	No	Light grey	27		2	28		High pressure laminated chipboard
TT20075-LPL	Bench top LPL 2000x750 low pressure laminate	6416763074273	2000	750	25	No	Light grey	28		2	29		Low pressure laminated chipboard
TT20090-ESD	Bench top 2000x900 ESD	6416763068913	2000	900	25	Yes	Light grey	33		2	34		Semi-conductive laminated chipboard
TT20090-HPL	Bench top HPL 2000x900 high pressure laminate	6416763073986	2000	900	25	No	Light grey	28		2	29		High pressure laminated chipboard
TT20090-LPL	Bench top LPL 2000x900 low pressure laminate	6416763074280	2000	900	25	No	Light grey	33		2	34		Low pressure laminated chipboard
TT20375-ESD	Bench top ESD 2030x750 semi-conductive laminate	6416763098989	2030	750	25	Yes	Light grey	28		2	29	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT20375-HPL	Bench top HPL 2030x750 high pressure laminate	6416763098996	2030	750	25	No	Light grey	27		2	28	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT20375-LPL	Bench top LPL 2030x750 low pressure laminate	6416763099009	2030	750	25	No	Light grey	28		2	29	Treston QuatreX electrical workbench	Low pressure laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT20390-ESD	Bench top ESD 2030x900 semi-conductive laminate	6416763099016	2030	900	25	Yes	Light grey	33		2	34	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT20390-HPL	Bench top HPL 2030x900 high pressure laminate	6416763085590	2030	900	25	No	Light grey	28		2	29	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT20390-LPL	Bench top LPL 2030x900 low pressure laminate	6416763099030	2030	900	25	No	Light grey	33		2	34	Treston QuatreX electrical workbench	Low pressure laminated chipboard