


Hooks and tool brackets

Our range includes over 50 different tool brackets and hooks for efficient and organized tool storage. All tool holders and hooks are easy to attach to perforated panels. With the help of perforated panels, you can easily integrate the tool holders and hooks into Treston's workbenches, trolleys, cabinets, industrial screens, and tool storage systems. By combining perforated panels with tool brackets and hooks, you can easily create wall-mounted tool storage.

- The most robust tool brackets and hooks can support up to 10 kg.
- Most of the tool brackets and hooks are sold in packs of 5.
- Ready-made tool holder sets for various purposes are also available.

Ready-made hook sets help you to get started. Choose the most suitable hook set for your needs from the following possibilities:
Hook set 1: Basic light hook set
Hook set 2: Basic hook set for hand tools
Hook set 3: Hook set for perforated tool cabinet
Hook set 4: All inclusive set for hand tools
Hook set 5: Hook set for heavy tools in perforated tool cabinet

Hooks and tool brackets (63)

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable for clean-room	RAL code	Color name	Net weight kg	Pack-aging type	War-ranty years	Gross weight kg	Available for the following products	Frame ma-terial	Avail-ability USA
831433-51	Hook,R-37 40	6410280143382				10	No	Yes			0		5	0	Perforated panels, Treston Tower storage and workstation unit	Galvanised steel	
831441-51	Hook,R-37 60	6416763073597				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831506-51	Hook,R-16 L=46 10kg	6416763073566				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831514-51	Hook,R-16 L=20 10kg	6416763073559				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831603-51	Hook,R-37 80	6410280160389				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831654-49	Hook R-47 Shelf for 350x122mm for perf panel grey RAL7035	6416763073627	350	120		4	Yes	Yes	RAL7035	Light grey	0		5	0	Perforated panels	Epoxy powder-coated steel	
831700-51	Hook,R-24 D17x65	6410280170081				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831719-51	Hook,R-24 D26x80	6416763073382				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable forclean room	RAL code	Color name	Net weight kg	Pack aging type	War ranty years	Gross weight kg	Available for the following products	Frame ma terial	Avail ability USA
831794-51	Hook R-46	6416763073603				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
832162-51	Hook,R-33 30x90	6416763073580				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
838357-51	Hook,R-41 556	6410280835782				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
838380-51	Document holder,R48 A4 Zinc coated	6410280838080	235	200	370	5	No	Yes			1		5	1	Perforated panels	Galvanised steel	
838381-51	Hook, R-49 Holder for screwdrivers, 20 holes L=305mm	6416763094646	300	70	40	10	No				0		5	0		Galvanised steel	
838382-51	Hook, R-50	6416763097029	238	43	80	5	No				0		5	0		Galvanised steel	
838896-51	Hook,R-26 160	6410280889686				5	No	Yes			0		5	0	Perforated panels, Treston Tower storage and workstation unit	Galvanised steel	
839086-51	Suspension rail to perforated panel (R46)	6416763073610				5	No	Yes			1		5	1	Perforated panels	Galvanised steel	
851843-00	Pick-up box with divider 149x85x48, red	6416763091119	149	85	48	0	No	Yes		Red	0		5	0	Perforated panels	Coloured polypropylene (PP)	

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable forclean room	RAL code	Color name	Net weight kg	Pack aging type	War ranty years	Gross weight kg	Available for the following products	Frame ma terial	Avail ability USA
852167-51	Hook,R-24 D42x100	6410280216789				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853207-51	Hook R1, L30 /10kg (5pcs)	6410280320783				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853208-51	Hook R1, L50 /10kg (5pcs)	6410280320882				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853209-51	Hook R1, L80 /20kg (5pcs)	6410280320981				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853210-51	Hook R1, L100 /8kg (5pcs)	6410280321087				8	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853211-51	Hook R1, L100 /15kg (5pcs)	6410280321186				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853212-51	Hook R1, L150 /4kg (5pcs)	6410280321285				4	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853213-51	Hook R1, L150 /10kg (5pcs)	6410280321384				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853214-51	Hook R1, L200 /2kg (5pcs)	6410280321483				2	No	Yes			0		5	0	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable forclean room	RAL code	Color name	Net weight kg	Pack aging type	War ranty years	Gross weight kg	Available for the following products	Frame ma terial	Avail ability USA
853215-51	Hook R1, L200 /6kg (5pcs)	6410280321582				6	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853216-51	Hook R1, L300 /3kg (5pcs)	6410280321681				3	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853217-51	Hook R1, L300 /8kg (5pcs)	6410280321780				8	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853218-51	Hook R2, L33 A17 (5pcs)	6410280321889				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853219-51	Hook R2, L43 A25 (5pcs)	6416763097708				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853220-51	Hook R2, L43 A40 (5pcs)	6410280322084				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853221-51	Hook R2, L100 A25 (5pcs)	6416763097715				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853222-51	Hook R2, L150 A15 (5pcs)	6410280322282				6	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853223-51	Hook R2, L150 A25 (5pcs)	6410280322381				10	No	Yes			1		5	1	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable forclean room	RAL code	Color name	Net weight kg	Pack aging type	War ranty years	Gross weight kg	Available for the following products	Frame ma terial	Avail ability USA
853224-51	Hook R2, L200 A25 (5pcs)	6410280322480				10	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853225-51	Hook R3, L10 (5pcs)					10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853226-51	Hook R3, L50 (5pcs)	6416763097722				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853227-51	Hook R10, L28 (5pcs)	6410280322787				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853228-51	Hook R10, L33 (5pcs)	6410280322886				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853229-51	Hook R13, L157 (5pcs)	6410280322985				1	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853231-51	Hook R19, D13 (5pcs)	6410280323180				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853232-51	Hook R19, D19 (5pcs)	6410280323289				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853233-51	Hook R19, D22 (5pcs)	6416763097739				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable forclean room	RAL code	Color name	Net weight kg	Pack aging type	War ranty years	Gross weight kg	Available for the following products	Frame ma terial	Avail ability USA
853234-51	Hook R29, L40 (5pcs)	6410280323487				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853235-51	Hook R29, L60 (5pcs)	6416763090488				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853236-51	Hook R29, L80 (5pcs)	6410280323685				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853237-51	Hook R30, L35 (5pcs)	6410280323784				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853238-51	Hook R30, L85 (5pcs)	6410280323883				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853239-51	Hook R35, L17 A35 (5pcs)	6410280323982				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853240-51	Hook R35, L17 A55 (5pcs)	6410280324088				5	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853241-51	Hook R1, L50 /10kg (5pcs)	6416763097746				10	No	Yes			0		5	0	Perforated panels	Galvanised steel	
854040-49	Folder compartment,light grey	6416763073658	466	90	240	4	Yes	Yes	RAL7035	Light grey	2		5	2	Perforated panels	Epoxy powder-coated steel	

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable forclean room	RAL code	Color name	Net weight kg	Pack aging type	War ranty years	Gross weight kg	Available for the following products	Frame ma terial	Avail ability USA
854041-49	Utility box, light grey	6416763073641	410	155	90	4	Yes	Yes	RAL7035	Light grey	1		5	1	Perforated panels, Treston Tower storage and workstation unit	Epoxy powder-coated steel	
854042-49	Box holder for four pick up boxes	6416763073634	456	165	48	5	Yes	Yes	RAL7035	Light grey	1		5	1	Perforated panels	Epoxy powder-coated steel	
854043-49	Paper roll holder, perforated panel fixing	6416763073375	300			5	Yes	Yes	RAL7035	Light grey	0		5	1	Perforated panels, Treston Tower storage and workstation unit	Epoxy powder-coated steel	
855001-51	Hook Set 1, 20 hooks	6410280500185				0	No	Yes			1		10	1	Perforated panels	Galvanised steel	
855002-51	Hook Set 2, 45 hooks	6410280500284				0	No	Yes			2		10	2	Perforated panels	Galvanised steel	
855003-51	Hook Set 3, 69 hooks	6410280500383				0	No	Yes			3		10	3	Perforated panels, Treston Tower storage and workstation unit	Galvanised steel	
855004-51	Hook Set 4, 100 hooks	6410280500482				0	No	Yes			4		10	4	Perforated panels	Galvanised steel	
855005-51	Hook Set 5, 107 hooks	6410280500581				0	No	Yes			4		10	4	Perforated panels	Galvanised steel	
890535-51	Bracket, Plastic storage cabinet, perforated panel	6416763092529	274	12	46	0	No	Yes			0		10	0		Galvanised steel	

Code	Product	GTIN	Width mm	Depth mm	Height mm	Max load kg	ESD	Suitable forclean room	RAL code	Color name	Net weight kg	Pack aging type	War ranty years	Gross weight kg	Available for the following products	Frame ma terial	Avail ability USA
890715-49	LCD monitor holder for perforated panel VESA 100x100 fixing	6416763084708	120	38	150	10	Yes		RAL7035	Light grey	0		10	1	Treston Electric Desk TED for industrial use, Perforated panels, Industrial screens, Treston QuatreX electrical workbench , Treston PowerX QuatreX, Treston PowerX TED, Treston Tower storage and workstation unit	Epoxy powder-coated steel	