

# TP workbench

The Treston TP workbench is a solid, standard industrial workbench that is suitable for various industrial tasks and environments. A cost-effective alternative that is also easy to customise using the wide range of accessories and add-ons.

- Low-cost and cost-effective standard workbench
- Suitable for most industrial jobs and environments
- Sturdy and durable, the steel frame’s load capacity is max 300 kg
- Easy to customise with a wide range of accessories and add-ons to meet various needs

For a workbench equipped with a shelf, check out the Treston TPH workbench.

## TP workbench (38)

| Code | Product | GTIN | Width (mm) | Depth (mm) | Height adjustment area mm | Adjustment method | Max load (kg) | ESD | RAL code | Color name | Net weight (kg) | Packaging type | Warranty years | Gross weight (kg) | Bench top material | Frame material | Extendable |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TP507 | TP workbench 700x500 | 6416763042005 | 700 | 500 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 19 | | 10 | 20 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP507 ESD | TP workbench ESD 700x500 | 6416763043002 | 700 | 500 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 20 | | 10 | 20 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP510 | TP workbench 1000x500 | 6416763042012 | 1000 | 500 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 24 | | 10 | 24 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP510 ESD | TP workbench ESD 1000x500 | 6416763043019 | 1000 | 500 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 24 | | 10 | 24 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP510K | TP angle extension 1000x500 | 6416763042036 | 1000 | 500 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 18 | | 10 | 19 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP510K ESD | TP angle extension ESD 1000x500 | 6416763043033 | 1000 | 500 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 18 | | 10 | 19 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP515 | TP workbench 1500x500 | 6416763042029 | 1500 | 500 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 30 | | 10 | 31 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |

| Code | Product | GTIN | Width (mm) | Depth (mm) | Height adjustment area mm | Adjustment method | Max load (kg) | ESD | RAL code | Color name | Net weight (kg) | Packaging type | Warranty years | Gross weight (kg) | Bench top material | Frame material | Extendable |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TP515 ESD | TP workbench ESD 1500x500 | 6416763043026 | 1500 | 500 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 30 | | 10 | 31 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP707KK | TP corner workbench 1100x1100 | 6416763084791 | 1100 | 1100 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 40 | | 10 | 41 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP707KK ESD | TP corner workbench ESD 1100x1100 | 6416763084845 | 1100 | 1100 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 40 | | 10 | 41 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP710 | TP workbench 1000x700 | 6416763042043 | 1000 | 700 | 650 - 900 | Allen key adjustable | 300 | No | RAL7035 | Light grey | 27 | | 10 | 28 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP710 ESD | TP workbench ESD 1000x700 | 6416763043040 | 1000 | 700 | 650 - 900 | Allen key adjustable | 300 | Yes | RAL7035 | Light grey | 27 | | 10 | 28 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP710L | TP line extension1000x700 | 6416763042760 | 1000 | 700 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 22 | | 10 | 22 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP710L ESD | TP line extension ESD 1000x700 | 6416763080113 | 1000 | 700 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 22 | | 10 | 23 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP712 | TP workbench 1200x700 | 6416763042050 | 1200 | 700 | 650 - 900 | Allen key adjustable | 300 | No | RAL7035 | Light grey | 30 | | 10 | 31 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |

| Code | Product | GTIN | Width (mm) | Depth (mm) | Height adjustment area mm | Adjustment method | Max load (kg) | ESD | RAL code | Color name | Net weight (kg) | Packaging type | Warranty years | Gross weight (kg) | Bench top material | Frame material | Extendable |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TP712 ESD | TP workbench ESD 1200x700 | 6416763043057 | 1200 | 700 | 650 - 900 | Allen key adjustable | 300 | Yes | RAL7035 | Light grey | 29 | | 10 | 31 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP712K | TP angle extension 1200x700 | 6416763042265 | 1200 | 700 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 24 | | 10 | 26 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP712K ESD | TP angle extension ESD 1200x700 | 6416763080120 | 1200 | 700 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 24 | | 10 | 26 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP712L | TP line extension 1200x700 | 6416763042272 | 1200 | 700 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 24 | | 10 | 25 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP712L ESD | TP line extension ESD 1200x700 | 6416763080137 | 1200 | 700 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 24 | | 10 | 26 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP715 | TP workbench 1500x700 | 6416763042067 | 1500 | 700 | 650 - 900 | Allen key adjustable | 300 | No | RAL7035 | Light grey | 35 | | 10 | 36 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP715 ESD | TP workbench ESD 1500x700 | 6416763043064 | 1500 | 700 | 650 - 900 | Allen key adjustable | 300 | Yes | RAL7035 | Light grey | 35 | | 10 | 36 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP715L | TP line extension 1500x700 | 6416763042081 | 1500 | 700 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 28 | | 10 | 31 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |

| Code | Product | GTIN | Width (mm) | Depth (mm) | Height adjustment area mm | Adjustment method | Max load (kg) | ESD | RAL code | Color name | Net weight (kg) | Packaging type | Warranty years | Gross weight (kg) | Bench top material | Frame material | Extendable |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TP715L ESD | TP line extension ESD 1500x700 | 6416763089345 | 1500 | 700 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 30 | | 10 | 31 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP718 | TP workbench 1800x700 | 6416763042074 | 1800 | 700 | 650 - 900 | Allen key adjustable | 300 | No | RAL7035 | Light grey | 40 | | 10 | 41 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP718 ESD | TP workbench ESD 1800x700 | 6416763043071 | 1800 | 700 | 650 - 900 | Allen key adjustable | 300 | Yes | RAL7035 | Light grey | 40 | | 10 | 41 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP718L | TP line extension 1800x700 | 6416763042784 | 1800 | 700 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 33 | | 10 | 35 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP718L ESD | TP line extension ESD 1800x700 | 6416763084166 | 1800 | 700 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 40 | | 10 | 41 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP909KK | TP corner workbench 1300x1300 | 6416763084807 | 1300 | 1300 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 51 | | 10 | 53 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP909KK ESD | TP corner workbench ESD 1300x1300 | 6416763084852 | 1300 | 1300 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 50 | | 10 | 52 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP915 | TP workbench 1500x900 | 6416763042098 | 1500 | 900 | 650 - 900 | Allen key adjustable | 300 | No | RAL7035 | Light grey | 42 | | 10 | 43 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |

| Code | Product | GTIN | Width (mm) | Depth (mm) | Height adjustment area mm | Adjustment method | Max load (kg) | ESD | RAL code | Color name | Net weight (kg) | Packaging type | Warranty years | Gross weight (kg) | Bench top material | Frame material | Extendable |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TP915 ESD | TP workbench ESD 1500x900 | 6416763043095 | 1500 | 900 | 650 - 900 | Allen key adjustable | 300 | Yes | RAL7035 | Light grey | 41 | | 10 | 43 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP915L | TP line extension 1500x900 | 6416763042791 | 1500 | 900 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 37 | | 10 | 38 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP915L ESD | TP line extension ESD 1500x900 | 6416763085378 | 1500 | 900 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 42 | | 10 | 43 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP918 | TP workbench 1800x900 | 6416763042104 | 1800 | 900 | 650 - 900 | Allen key adjustable | 300 | No | RAL7035 | Light grey | 47 | | 10 | 48 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP918 ESD | TP workbench ESD 1800x900 | 6416763043101 | 1800 | 900 | 650 - 900 | Allen key adjustable | 300 | Yes | RAL7035 | Light grey | 47 | | 10 | 48 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |
| TP918L | TP line extension 1800x900 | 6416763042807 | 1800 | 900 | 650 - 900 | Allen key adjustable | 150 | No | RAL7035 | Light grey | 41 | | 10 | 42 | Low pressure laminated chipboard | Epoxy powder-coated steel | Yes |
| TP918L ESD | TP line extension ESD 1800x900 | 6416763085385 | 1800 | 900 | 650 - 900 | Allen key adjustable | 150 | Yes | RAL7035 | Light grey | 47 | | 10 | 48 | Semi-conductive laminated chipboard | Epoxy powder-coated steel | Yes |