

Concept Ergo workbench

The ergonomic and versatile Concept Ergo workbench can be flexibly adapted to meet the needs of industrial working environments. Multiple sizes and combinations are available. The height can be adjusted electrically (electric height adjustment) or manually (with Allen key). The Concept Ergo workbench model has the widest range of accessories on the market. Suitable virtually to any environment, application and industry, from electronics and luxury item manufacturing to medical equipment suppliers (cleanroom suitability ISO class 7). Can be accessorized for use in packing, fulfillment, assembly, testing or quality assurance functions.

- An ergonomic and versatile industrial workbench: workstation can be updated when tasks change over the years.
- Functional design and modularity: markets largest selection of modular accessories, over 500 accessories available.
- Height adjustment electrically (electric motor height adjustment) or with Allen key
- Hand crank version available in previous Concept design
- Very stable, with a steel frame, maximum load capacity 500 kg
- The frame, tabletop, and accessories are available with ESD protection.
- Custom solutions: such as corner and extension solutions available upon request

Frames (42)

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for cleanroom	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
10149015	Concept workbench frame ESD 1000x600, hand crank adjustable	6416763076048	1000	600	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	55		10	57	Epoxy powder-coated steel	No	
10149016	Concept workbench frame ESD 1200x600, hand crank adjustable	6416763076055	1200	600	675 - 1025	Hand crank adjustable			200	Yes		Querverbinder enthalten	RAL7035	Light grey	57		10	58	Epoxy powder-coated steel	No	
10149017	Concept workbench frame ESD 1500x600, hand crank adjustable	6416763076062	1500	600	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	61		10	63	Epoxy powder-coated steel	No	
10149018	Concept workbench frame ESD 1800x600, hand crank adjustable	6416763076079	1800	600	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	70		10	71	Epoxy powder-coated steel	No	

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for clean room	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
10149030	Concept workbench frame ESD 100x750, hand crank adjustable	6416763076086	1000	750	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	57		10	59	Epoxy powder-coated steel	No	
10149031	Concept workbench frame ESD 1200x750, hand crank adjustable	6416763075638	1200	750	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	60		10	62	Epoxy powder-coated steel	No	
10149032	Concept workbench frame ESD 1500x750, hand crank adjustable	6416763075645	1500	750	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	65		10	67	Epoxy powder-coated steel	No	
10149033	Concept workbench frame ESD 1800x750, hand crank adjustable	6416763075652	1800	750	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	71		10	73	Epoxy powder-coated steel	No	
10149062	Concept workbench hand crank 1000x900	6416763082209	1000	900	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	57		10	59	Epoxy powder-coated steel	No	

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for clean room	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
10149063	Concept workbench frame hand crank 1200x900	6416763082216	1200	900	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	60		10	62	Epoxy powder-coated steel	No	
10149064	Concept workbench frame hand crank 1500x900	6416763082223	1500	900	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	64		10	66	Epoxy powder-coated steel	No	
10149065	Concept workbench frame ESD 1800x900, hand crank adjustable	6416763082230	1800	900	675 - 1025	Hand crank adjustable			200	Yes		Includes accessory support bar.	RAL7035	Light grey	71		10	73	Epoxy powder-coated steel	No	
CE10060-49	Concept Ergo allen key frame 1000x600	6416763095827	1000	600	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	47		10	49	Epoxy powder-coated steel		
CE10060EL-49	Concept Ergo electric adjustable frame 1000x600	6416763096275	1000	600	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	57		10	59	Epoxy powder-coated steel		

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for clean room	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
CE10075-49	Concept Ergo allen key frame 1000x750	6416763095834	1000	750	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	49		10	51	Epoxy powder-coated steel		
CE10075EL-49	Concept Ergo electric adjustable frame 1000x750	6416763096282	1000	750	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	59		10	61	Epoxy powder-coated steel		
CE10090-49	Concept Ergo allen key frame 1000x900	6416763095841	1000	900	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	53		10	55	Epoxy powder-coated steel		
CE10090EL-49	Concept Ergo electric adjustable frame 1000x900	6416763096299	1000	900	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	63		10	65	Epoxy powder-coated steel		
CE12060-49	Concept Ergo allen key frame 1200x600	6416763095858	1200	600	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	49		10	51	Epoxy powder-coated steel		
CE12060EL-49	Concept Ergo electric adjustable frame 1200x600	6416763096305	1200	600	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	60		10	62	Epoxy powder-coated steel		

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for clean room	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
CE12075-49	Concept Ergo allen key frame 1200x750	6416763095865	1200	750	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	51		10	53	Epoxy powder-coated steel		
CE12075EL-49	Concept Ergo electric adjustable frame 1200x750	6416763096312	1200	750	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	62		10	64	Epoxy powder-coated steel		
CE12090-49	Concept Ergo allen key frame 1200x900	6416763095872	1200	900	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	55		10	57	Epoxy powder-coated steel		
CE12090EL-49	Concept Ergo electric adjustable frame 1200x900	6416763096329	1200	900	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	65		10	67	Epoxy powder-coated steel		
CE15060-49	Concept Ergo allen key frame 1500x600	6416763095889	1500	600	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	52		10	54	Epoxy powder-coated steel		
CE15060EL-49	Concept Ergo electric adjustable frame 1500x600	6416763096336	1500	600	700 - 1100	Motor adjustable			400	Yes	Yes		RAL7035	Light grey	64		10	66	Epoxy powder-coated steel		

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for clean room	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
CE15075-49	Concept Ergo allen key frame 1500x750	6416763095896	750	750	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	54		10	56	Epoxy powder-coated steel		
CE15075EL-49	Concept Ergo electric adjustable frame 1500x750	6416763096343	1500	750	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	66		10	68	Epoxy powder-coated steel		
CE15090-49	Concept Ergo allen key frame 1500x900	6416763095902	1500	900	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	63		10	65	Epoxy powder-coated steel		
CE15090EL-49	Concept Ergo electric adjustable frame 1500x900	6416763096350	1500	900	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	74		10	76	Epoxy powder-coated steel		
CE18060-49	Concept Ergo allen key frame 1800x600	6416763095919	340		700 - 1100	Allen key adjustable	13		500	Yes			RAL7035	Light grey	55		10	57	Epoxy powder-coated steel		
CE18060EL-49	Concept Ergo electric adjustable frame 1800x600	6416763096367	1800	600	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	68		10	70	Epoxy powder-coated steel		

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for clean room	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
CE18075-49	Concept Ergo allen key frame 1800x750	6416763095926	1800		700 - 1100	Allen key adjustable	13		400	Yes			RAL7035	Light grey	57		10	59	Epoxy powder-coated steel		
CE18075EL-49	Concept Ergo electric adjustable frame 1800x750	6416763096374	1800	750	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	70		10	72	Epoxy powder-coated steel		
CE18090-49	Concept Ergo allen key frame 1800x900	6416763095933	1800	900	700 - 1100	Allen key adjustable	13		500	Yes			RAL7035	Light grey	67		10	69	Epoxy powder-coated steel		
CE18090EL-49	Concept Ergo electric adjustable frame 1800x900	6416763096381	1800		700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	80		10	82	Epoxy powder-coated steel		
CE20060-49	Concept Ergo allen key frame 2000x600	6416763095940	2000		700 - 1100	Allen key adjustable	13		500	Yes			RAL7035	Light grey	57		10	59	Epoxy powder-coated steel		
CE20060EL-49	Concept Ergo electric adjustable frame 2000x600	6416763096398	2000	600	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	70		10	72	Epoxy powder-coated steel		

Code	Product	GTIN	Width (mm)	Depth (mm)	Height adjustment area mm	Adjustment method	Height adjustment speed (mm/second)	Adjustment control panel	Max load (kg)	ESD	Suitable for clean room	Includes Accessories	RAL code	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Frame material	Extendable	Availability USA
CE20075-49	Concept Ergo allen key frame 2000x750	6416763095957	2000	750	700 - 1100	Allen key adjustable	13		500	Yes			RAL7035	Light grey	59		10	61	Epoxy powder-coated steel		
CE20075EL-49	Concept Ergo electric adjustable frame 2000x750	6416763096404	2000	750	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	72		10	75	Epoxy powder-coated steel		
CE20090-49	Concept Ergo allen key frame 2000x900	6416763095964	2000	900	700 - 1100	Allen key adjustable			500	Yes			RAL7035	Light grey	70		10	72	Epoxy powder-coated steel		
CE20090EL-49	Concept Ergo electric adjustable frame 2000x900	6416763096411	2000	900	700 - 1100	Motor adjustable	13		400	Yes	Yes		RAL7035	Light grey	83		10	85	Epoxy powder-coated steel		

Bench tops (75)

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Gross weight (kg)	Available for the following products	Bench top material
TT10060-ESD	Bench top ESD 1000x600 semi-conductive laminate	6416763068777	1000	600	25	Yes	Light grey	11		2	11		Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the following products	Bench top material
TT10060-HPL	Bench top HPL 1000x600 high pressure laminate	6416763073849	1000	600	25	No	Light grey	9		2	9		High pressure laminated chipboard
TT10060-LPL	Bench top LPL 1000x600 low pressure laminate	6416763085583	1000	600	25	No	Light grey	13		2	13		Low pressure laminated chipboard
TT10075-ESD	Bench top ESD 1000x750 semi-conductive laminate	6416763068784	1000	750	25	Yes	Light grey	14		2	14		Semi-conductive laminated chipboard
TT10075-HPL	Bench top HPL 1000x750 high pressure laminate	6416763073856	1000	750	25	No	Light grey	13		2	14		High pressure laminated chipboard
TT10075-LPL	Bench top LPL 1000x750 low pressure laminate	6416763074150	1000	750	25	No	Light grey	14		2	15		Low pressure laminated chipboard
TT10090-ESD	Bench top ESD 1000x900 semi-conductive laminate	6416763068791	1000	900	25	Yes	Light grey	16		2	16		Semi-conductive laminated chipboard
TT10090-HPL	Bench top HPL 1000x900 high pressure laminate	6416763073863	1000	900	25	No	Light grey	15		2	16		High pressure laminated chipboard
TT10090-LPL	Bench top LPL1000x900 low pressure laminate	6416763074167	1000	900	25	No	Light grey	15		2	15		Low pressure laminated chipboard
TT10375-ESD	Bench top ESD 1030x750 semi-conductive laminate	6416763098927	1030	750	25	Yes	Light grey	14		2	14	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT10375-HPL	Bench top HPL 1030x750 high pressure laminate	6416763098934	1030	750	25	No	Light grey	13		2	14	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT10375-LPL	Bench top LPL 1030x750 low pressure laminate	6416763098941	1030	750	25	No	Light grey	14		2	14	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT10390-ESD	Bench top ESD 1030x900 semi-conductive laminate	6416763098958	1030	900	25	Yes	Light grey	16		2	16	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT10390-HPL	Bench top HPL 1030x900 high pressure laminate	6416763098965	1030	900	25	No	Light grey	15		2	16	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT10390-LPL	Bench top LPL 1030x900 low pressure laminate	6416763098972	1030	900	25	No	Light grey	14		2	15		Low pressure laminated chipboard
TT12060-ESD	Bench top ESD 1200x600 semi-conductive laminate	6416763068807	1200	600	25	Yes	Light grey	13		2	13		Semi-conductive laminated chipboard
TT12060-HPL	Bench top HPL 1200x600 high pressure laminate	6416763073870	1200	600	25	No	Light grey	12		2	13		High pressure laminated chipboard
TT12060-LPL	Bench top LPL 1200x600 low pressure laminate	6416763074174	1200	600	25	No	Light grey	13		2	13		Low pressure laminated chipboard
TT12075-ESD	Bench top ESD 1200x750 semi-conductive laminate	6416763068814	1200	750	25	Yes	Light grey	17		2	17		Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT12075-HPL	Bench top HPL 1200x750 high pressure laminate	6416763073887	1200	750	25	No	Light grey	16		2	16		High pressure laminated chipboard
TT12075-LPL	Bench top LPL 1200x750 low pressure laminate	6416763074181	1200	750	25	No	Light grey	17		2	17		Low pressure laminated chipboard
TT12090-ESD	Bench top ESD1200x900 semi-conductive laminate	6416763068821	1200	900	25	Yes	Light grey	19		2	20		Semi-conductive laminated chipboard
TT12090-HPL	Bench top HPL 1200x900 high pressure laminate	6416763073894	1200	900	25	No	Light grey	19		2	19		High pressure laminated chipboard
TT12090-LPL	Bench top LPL 1200x900 low pressure laminate	6416763074198	1200	900	25	No	Light grey	18		2	18		Low pressure laminated chipboard
TT12375-ESD	Bench top ESD 1230x750 semi-conductive laminate	6416763093014	1230	750	25	Yes	Light grey	17		2	17	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT12375-HPL	Bench top HPL 1230x750 high pressure laminate	6416763093021	1230	750	25	No	Light grey	16		2	16	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT12375-LPL	Bench top LPL 1230x750 low pressure laminate	6416763093038	1230	750	25	No	Light grey	17		2	17	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT12390-ESD	Bench top ESD 1230x900 semi-conductive laminate	6416763093045	1230	900	25	Yes	Light grey	19		2	20	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT12390-HPL	Bench top HPL 1230x900 high pressure laminate	6416763093052	1230	900	25	No	Light grey	19		2	19	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT12390-LPL	Bench top LPL 1230x900 low pressure laminate	6416763093069	1230	900	25	No	Light grey	18		2	18	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT15060-ESD	Bench top ESD 1500x600 semi-conductive laminate	6416763068838	1500	600	25	Yes	Light grey	16		2	17		Semi-conductive laminated chipboard
TT15060-HPL	Bench top HPL 1500x600 high pressure laminate	6416763073900	1500	600	25	No	Light grey	16		2	16		High pressure laminated chipboard
TT15060-LPL	Bench top LPL 1500x600 low pressure laminate	6416763074204	1500	600	25	No	Light grey	16		2	16		Low pressure laminated chipboard
TT15075-ESD	Bench top ESD 1500x750 semi-conductive laminate	6416763068845	1500	750	25	Yes	Light grey	21		2	21		Semi-conductive laminated chipboard
TT15075-HPL	Bench top HPL 1500x750 high pressure laminate	6416763073917	1500	750	25	No	Light grey	20		2	21		High pressure laminated chipboard
TT15075-LPL	Bench top LPL 1500x750 low pressure laminate	6416763074211	1500	750	25	No	Light grey	22		2	22		Low pressure laminated chipboard
TT15090-ESD	Bench top ESD 15090x900 semi-conductive laminate	6416763068852	1500	900	25	Yes	Light grey	25		2	26		Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT15090-HPL	Bench top HPL 1500x900 high pressure laminate	6416763073924	1500	900	25	No	Light grey	25		2	26		High pressure laminated chipboard
TT15090-LPL	Bench top LPL 1500x900 low pressure laminate	6416763074228	1500	900	25	No	Light grey	25		2	26		Low pressure laminated chipboard
TT15375-ESD	Bench top ESD 1530x750 semi-conductive laminate	6416763093076	1530	750	25	Yes	Light grey	21		2	21	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT15375-HPL	Bench top HPL 1530x750 high pressure laminate	6416763093083	1530	750	25	No	Light grey	20		2	21	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT15375-LPL	Bench top LPL 1530x750 low pressure laminate	6416763093090	1530	750	25	No	Light grey	22		2	22	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT15390-ESD	Bench top ESD 1530x900 semi-conductive laminate	6416763093106	1530		25	Yes	Light grey	25		2	26	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT15390-HPL	Bench top HPL 1530x900 high pressure laminate	6416763094073	1530	900	25	No	Light grey	21		2	26	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT15390-LPL	Bench top LPL 1530x900 low pressure laminate	6416763093113	1530	900	25	No	Light grey	21		2	26	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT18060-ESD	Bench top ESD 1806x600 semi-conductive laminate	6416763068869	1806	600	25	Yes	Light grey	20		2	21		Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the following products	Bench top material
TT18060-HPL	Bench top HPL1806x600 high pressure laminate	6416763073931	1806	600	25	No	Light grey	19		2	19		High pressure laminated chipboard
TT18060-LPL	Bench top LPL1806x600 low pressure laminate	6416763074235	1806	600	25	No	Light grey	24		2	24		Low pressure laminated chipboard
TT18075-ESD	Bench top ESD 1806x750 semi-conductive laminate	6416763068876	1806	750	25	Yes	Light grey	25		2	26		Semi-conductive laminated chipboard
TT18075-HPL	Bench top HPL 1806x750 high pressure laminate	6416763073948	1806	750	25	No	Light grey	24		2	25		High pressure laminated chipboard
TT18075-LPL	Bench top LPL 1806x750 low pressure laminate	6416763074242	1806	750	25	No	Light grey	25		2	26		Low pressure laminated chipboard
TT18090-ESD	Bench top ESD 1806x900 semi-conductive laminate	6416763068883	1806	900	25	Yes	Light grey	30		2	31		Semi-conductive laminated chipboard
TT18090-HPL	Bench top HPL 1806x900 high pressure laminate	6416763073955	1806	900	25	No	Light grey	27		2	28		High pressure laminated chipboard
TT18090-LPL	Bench top LPL 1806x900 low pressure laminate	6416763074259	1806	900	25	No	Light grey	30		2	31		Low pressure laminated chipboard
TT18375-ESD	Bench top ESD 1836x750 semi-conductive laminate	6416763093120	1836	750	25	Yes	Light grey	25		2	26	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT18375-HPL	Bench top HPL 1836x750 high pressure laminate	6416763093137	1836	750	25	No	Light grey	24		2	25	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT18375-LPL	Bench top LPL 1836x750 low pressure laminate	6416763093144	1836	750		No	Light grey	24		2	25	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT18390-ESD	Bench top ESD 1836x900 semi-conductive laminate	6416763094097	1836	900	25	Yes	Light grey	25		2	26	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT18390-HPL	Bench top HPL 1836x900 high pressure laminate	6416763094080	1836	900	25	No	Light grey	25		2	26	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT18390-LPL	Bench top LPL 1836x900 low pressure laminate	6416763093151	1836	900	25	No	Light grey	25		2	26	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT20060-ESD	Bench top ESD 2000x600 semi-conductive laminate	6416763068890	2000	600	25	Yes	Light grey	23		2	23		Semi-conductive laminated chipboard
TT20060-HPL	Bench top HPL 2000x600 high pressure laminate	6416763073962	2000	600	25	No	Light grey	22		2	22		High pressure laminated chipboard
TT20060-LPL	Bench top LPL 2000x600 low pressure laminate	6416763074266	2000	600	25	No	Light grey	19		2	19		Low pressure laminated chipboard
TT20075-ESD	Bench top ESD 2000x750 semi-conductive laminate	6416763068906	2000	750	25	Yes	Light grey	28		2	29		Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT20075-HPL	Bench top HPL 2000x750 high pressure laminate	6416763073979	2000	750	25	No	Light grey	27		2	28		High pressure laminated chipboard
TT20075-LPL	Bench top LPL 2000x750 low pressure laminate	6416763074273	2000	750	25	No	Light grey	28		2	29		Low pressure laminated chipboard
TT20090-ESD	Bench top 2000x900 ESD	6416763068913	2000	900	25	Yes	Light grey	33		2	34		Semi-conductive laminated chipboard
TT20090-HPL	Bench top HPL 2000x900 high pressure laminate	6416763073986	2000	900	25	No	Light grey	28		2	29		High pressure laminated chipboard
TT20090-LPL	Bench top LPL 2000x900 low pressure laminate	6416763074280	2000	900	25	No	Light grey	33		2	34		Low pressure laminated chipboard
TT20375-ESD	Bench top ESD 2030x750 semi-conductive laminate	6416763098989	2030	750	25	Yes	Light grey	28		2	29	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard
TT20375-HPL	Bench top HPL 2030x750 high pressure laminate	6416763098996	2030	750	25	No	Light grey	27		2	28	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT20375-LPL	Bench top LPL 2030x750 low pressure laminate	6416763099009	2030	750	25	No	Light grey	28		2	29	Treston QuatreX electrical workbench	Low pressure laminated chipboard
TT20390-ESD	Bench top ESD 2030x900 semi-conductive laminate	6416763099016	2030	900	25	Yes	Light grey	33		2	34	Treston QuatreX electrical workbench	Semi-conductive laminated chipboard

Code	Product	GTIN	Width (mm)	Depth (mm)	Height (mm)	ESD	Color name	Net weight (kg)	Packaging type	Warranty years	Grossweight (kg)	Available for the fol lowing products	Bench top material
TT20390-HPL	Bench top HPL 2030x900 high pressure laminate	6416763085590	2030	900	25	No	Light grey	28		2	29	Treston QuatreX electrical workbench	High pressure laminated chipboard
TT20390-LPL	Bench top LPL 2030x900 low pressure laminate	6416763099030	2030	900	25	No	Light grey	33		2	34	Treston QuatreX electrical workbench	Low pressure laminated chipboard